



KeContact P30 Product overview

Status 08.2020

www.keba.com/emobility

KEBA[®]
Automation by innovation.

Content

| | |
|-------------------------------------|----|
| Overview KeContact P30 series | 3 |
| Explanation | 4 |
| e-series | 5 |
| Socket | 5 |
| Cable | 6 |
| b-series | 7 |
| Socket | 7 |
| Cable | 8 |
| c-series | 10 |
| Socket | 10 |
| Cable | 12 |
| x-series | 14 |
| Socket | 14 |
| Cable | 16 |
| Accessories | 18 |
| Spare parts | 21 |
| Dummies..... | 24 |

Overview KeContact P30 series
























| | | | |
|----------------------------------|--|--|--|
| | | | WLAN communication for the wireless integration of wallboxes in an existing network |
| | | | Mobile communication 4G/LTE for wireless communication to OCPP backend* |
| | | | Communication to external energy meter via modbus TCP |
| | | | Offline logging of charging sessions (up to 3 months) |
| | Display (freely programmable) | Display (freely programmable) | Display (freely programmable) |
| | Local load management as a slave | Local load management as a master | Local load management as a master |
| | OCPP communication as a slave | OCPP communication as a master | OCPP communication as a master |
| | Slave for Master/Slave communication | Master for Master/Slave communication | Master for Master/Slave communication |
| | UDP interface (smart home automation) | UDP interface (smart home automation) | UDP interface (smart home automation) |
| | Ethernet interface for permanent installation (LSA+) | Ethernet interface for permanent installation (LSA+) | Ethernet interface for permanent installation (LSA+) |
| | Energy meter for the billing of energy consumption: MID-certified / compliant with measuring and calibration laws* | Energy meter for the billing of energy consumption: MID-certified / compliant with measuring and calibration laws* | Energy meter for the billing of energy consumption: MID-certified / compliant with measuring and calibration laws* |
| | Energy meter | Energy meter | Energy meter |
| | Power monitoring | Power monitoring | Power monitoring |
| | Authorization (RFID, Key)* | Authorization (RFID)* | Authorization (RFID)* |
| | Enable input / Switch output | Enable input / Switch output | Enable input / Switch output |
| | Customizing / branding** | Customizing / branding** | Customizing / branding** |
| DC leakage detection | DC leakage detection | DC leakage detection | DC leakage detection |
| Ethernet interface (RJ45) | Ethernet interface (RJ45) | Ethernet interface (RJ45) | Ethernet interface (RJ45) |
| USB interface | USB interface | USB interface | USB interface |
| LED strip for status information | LED strip for status information | LED strip for status information | LED strip for status information |
| e-series | b-series | c-series | x-series |
| Single phase up to 32A (7,4kW) | Three phase up to 32A (22kW) | Three phase up to 32A (22kW) | Three phase up to 32A (22kW) |

* Optional

** Quantity-dependent

Due to technical or legal restrictions, not all variants/options are available in all combinations.

Explanation

| | | | |
|---|---|---|--|
|  | USB interface for firmware updates and configuration |  | Key for access authorization |
|  | Single-phase operation |  | Z.E. Ready certified |
|  | Single-phase and three-phase operation |  | EV Ready certified |
|  | Ethernet interface RJ45 – firmware updates and debugging |  | MID certified, for kWh billing |
|  | Ethernet interface RJ45 – firmware updates and debugging Ethernet interface LSA+ – permanent connection to backend, smart home and further KeContact P30 |  | 4G/LTE – direct connection to OCPP centralsystem |
|  | UDP interface for smart home integration |  | WIFI – wireless communication for integration in an existing network |
|  | OCPP backend connection, communication for load management as master |  | Display – freely programmable (for c-series only in combination with x-series) |
|  | Communication for OCPP and load management as slave |  | Cover colour KEBA Grey Front side: RAL 7004 / Side frame: RAL 7016 |
|  | German Mess- und Eichrecht |  | Cover colour KEBA White Front side: RAL 9010 / Side frame: RAL 7016 |
|  | Modbus TCP – communication with external energy meter for charging current control and domestic connection monitoring |  | Cover colour KEBA Black Front side: RAL 9005 / Side frame: RAL 9005 |
|  | RFID for access authorization | | |

e-series Socket

e

Socket Type 2



| Product description | Current [A] (adjustable) | Colour | Article No. |
|--------------------------------|-----------------------------|--------|-------------|
| e-series EN Type2 Socket 4,6kW | 10, 13, 16, 20 | GR | 98.112 |
| e-series EN Type2 Socket 7,4kW | 10, 13, 16, 20, 25, 32 | GR | 105.557 |

Socket Type 2 Shutter



| Product description | Current [A] (adjustable) | Colour | Article No. |
|---|-----------------------------|--------|-------------|
| e-series EN Type2 Socket+Shutter 4,6kW | 10, 13, 16, 20 | GR | 98.116 |
| e-series EN Type2 Socket+Shutter 4,6kW-WH | 10, 13, 16, 20 | WH | 107.316 |
| e-series EN Type2 Socket+Shutter 7,4kW-WH | 10, 13, 16, 20, 25, 32 | WH | 106.833 |
| e-series EN Type2 Socket+Shutter 7,4kW-BK | 10, 13, 16, 20, 25, 32 | BK | 111.631 |

e-series
Cable



Cable Type 1



| Product description | Current [A] (adjustable) | Cable [m] | Colour | Article No. |
|----------------------------|--------------------------|-----------|--------|-------------|
| e-series EN Type1-4m 4,6kW | 10, 13, 16, 20 | 4 | GR | 98.120 |

Cable Type 2



| Product description | Current [A] (adjustable) | Cable [m] | Colour | Article No. |
|----------------------------------|--------------------------|-----------|--------|-------------|
| e-series EN Type2-4m Cable 4,6kW | 10, 13, 16, 20 | 4 | GR | 98.117 |

b-series
Socket



Socket Type 2



| Product description | Current [A] (adjustable) | Access | Colour | Article No. |
|------------------------------------|--------------------------|--------|--------|-------------|
| b-series EN Type2 Socket 22kW | 10, 13, 16, 20, 25, 32 | | GR | 98.125 |
| b-series EN Type2 Socket 22kW-RFID | 10, 13, 16, 20, 25, 32 | | GR | 98.131 |
| b-series EN Type2 Socket 22kW-KEY | 10, 13, 16, 20, 25, 32 | | GR | 98.134 |

Socket Type 2 Shutter



| Product description | Current [A] (adjustable) | Access | Colour | Article No. |
|---|--------------------------|--------|--------|-------------|
| b-series EN Type2 Socket+Shutter 22kW | 10, 13, 16, 20, 25, 32 | | GR | 98.136 |
| b-series EN Type2 Socket+Shutter 22kW-WH | 10, 13, 16, 20, 25, 32 | | WH | 107.317 |
| b-series EN Type2 Socket+Shutter 22kW-RFID | 10, 13, 16, 20, 25, 32 | | GR | 98.137 |
| b-series EN Type2 Socket+Shutter 22kW-RFID-WH | 10, 13, 16, 20, 25, 32 | | WH | 107.318 |
| b-series EN Type2 Socket+Shutter 22kW-RFID-BK | 10, 13, 16, 20, 25, 32 | | BK | 111.633 |

b-series Cable



Cable Type 1





| Product description | Current [A] (adjustable) | Cable [m] | Access | Colour | Article No. |
|---------------------------------|--------------------------|-----------|--------|--------|-------------|
| b-series EN Type1-4m 4,6kW | 10, 13, 16, 20 | 4 | | GR | 98.154 |
| b-series EN Type1-4m 4,6kW-RFID | 10, 13, 16, 20 | 4 | | GR | 98.158 |

Cable Type 2



| Product description | Current [A] (adjustable) | Cable [m] | Access | Colour | Article No. |
|--------------------------------------|--------------------------|-----------|--------|--------|-------------|
| b-series EN Type2-4m Cable 11kW | 10, 13, 16 | 4 | | GR | 98.138 |
| b-series EN Type2-4m Cable 11kW-RFID | 10, 13, 16 | 4 | | GR | 98.143 |
| b-series EN Type2-4m Cable 22kW | 10, 13, 16, 20, 25, 32 | 4 | | GR | 98.144 |
| b-series EN Type2-4m Cable 22kW-RFID | 10, 13, 16, 20, 25, 32 | 4 | | GR | 98.148 |
| b-series EN Type2-4m Cable 22kW-KEY | 10, 13, 16, 20, 25, 32 | 4 | | GR | 98.149 |



| Product description | Current [A] (adjustable) | Cable [m] | Access | Colour | Article No. |
|--------------------------------------|-----------------------------|--------------|---|--------|----------------|
| b-series EN Type2-6m Cable 22kW | 10, 13, 16, 20, 25, 32 | 6 | | GR | 98.150 |
| b-series EN Type2-6m Cable 22kW-RFID | 10, 13, 16, 20, 25, 32 | 6 |  | GR | 98.152 |
| b-series EN Type2-6m Cable 22kW-KEY | 10, 13, 16, 20, 25, 32 | 6 |  | GR | 98.153 |

c-series
Socket



Socket Type 2



| Product description | Current [A] (adjustable) | Access | MID | ME | Colour | Article No. |
|---|--------------------------|---------|----------|---------|--------|-------------|
| c-series EN Type2 Socket 22kW | 10, 13, 16, 20, 25, 32 | | | | GR | 97.908 |
| c-series EN Type2 Socket 22kW-MID | 10, 13, 16, 20, 25, 32 | | ✓ MID | | GR | 104.422 |
| c-series EN Type2 Socket 22kW-RFID | 10, 13, 16, 20, 25, 32 | ((())) | | | GR | 97.912 |
| c-series EN Type2 Socket 22kW-RFID-MID | 10, 13, 16, 20, 25, 32 | ((())) | ✓ MID | | GR | 102.637 |
| c-series EN Type2 Socket 22kW-RFID-MID-WH | 10, 13, 16, 20, 25, 32 | ((())) | ✓ MID | | WH | 110.265 |
| c-series EN Type2 Socket 22kW-ME | 10, 13, 16, 20, 25, 32 | | | ✓ ME | GR | 108.337 |
| c-series EN Type2 Socket 22kW-RFID-ME | 10, 13, 16, 20, 25, 32 | ((())) | | ✓ ME | GR | 108.336 |

Socket Type 2 Shutter



| Product description | Current [A] (adjustable) | Access | MID | ME | Colour | Article No. |
|--|--------------------------|---------|-----|----|--------|-------------|
| c-series EN Type2 Socket+Shutter 22kW | 10, 13, 16, 20, 25, 32 | | | | GR | 98.087 |
| c-series EN Type2 Socket+Shutter 22kW-WH | 10, 13, 16, 20, 25, 32 | | | | WH | 107.313 |
| c-series EN Type2 Socket+Shutter 22kW-BK | 10, 13, 16, 20, 25, 32 | | | | BK | 111.634 |
| c-series EN Type2 Socket+Shutter 22kW-RFID | 10, 13, 16, 20, 25, 32 | ((())) | | | GR | 98.088 |



| Product description | Current [A] (adjustable) | Access | MID | ME | Colour | Article No. |
|---|-----------------------------|--------|-----|----|--------|-------------|
| c-series EN Type2 Socket+Shutter 22kW-RFID-WH | 10, 13, 16, 20, 25, 32 | | | | WH | 107.315 |
| c-series EN Type2 Socket+Shutter 22kW-RFID-BK | 10, 13, 16, 20, 25, 32 | | | | BK | 111.635 |
| c-series EN Type2 Socket+Shutter 22kW-RFID-MID | 10, 13, 16, 20, 25, 32 | | | | GR | 111.027 |
| c-series EN Type2 Socket+Shutter 22kW-RFID-MID-WH | 10, 13, 16, 20, 25, 32 | | | | WH | 111.619 |
| c-series EN Type2 Socket+Shutter 22kW-MID-WH | 10, 13, 16, 20, 25, 32 | | | | WH | 111.618 |

c-series Cable



Cable Type 1



| Product description | Current [A] (adjustable) | Cable [m] | Access | MID | ME | Colour | Article No. |
|---------------------------------|--------------------------|-----------|--------|-----|----|--------|-------------|
| c-series EN Type1-4m 4,6kW | 10, 13, 16, 20 | 4 | | | | GR | 97.926 |
| c-series EN Type1-4m 4,6kW-RFID | 10, 13, 16, 20 | 4 | | | | GR | 97.929 |

Cable Type 2



| Product description | Current [A] (adjustable) | Cable [m] | Access | MID | ME | Colour | Article No. |
|---|--------------------------|-----------|--------|-----|----|--------|-------------|
| c-series EN Type2-4m Cable 11kW | 10, 13, 16 | 4 | | | | GR | 97.915 |
| c-series EN Type2-4m Cable 11kW-MID | 10, 13, 16 | 4 | | | | GR | 105.146 |
| c-series EN Type2-4m Cable 11kW-RFID-WH | 10, 13, 16 | 4 | | | | WH | 107.657 |
| c-series EN Type2-4m Cable 22kW | 10, 13, 16, 20, 25, 32 | 4 | | | | GR | 97.919 |
| c-series EN Type2-4m Cable 22kW-MID | 10, 13, 16, 20, 25, 32 | 4 | | | | GR | 104.423 |
| c-series EN Type2-4m Cable 22kW-RFID | 10, 13, 16, 20, 25, 32 | 4 | | | | GR | 97.921 |



| Product description | Current [A] (adjustable) | Cable [m] | Access | MID | ME | Colour | Article No. |
|--|-----------------------------|--------------|---------|----------|---------|--------|----------------|
| c-series EN Type2-4m Cable 22kW-RFID-MID | 10, 13, 16, 20, 25, 32 | 4 | (((•))) | ✓ MID | | GR | 105.144 |
| c-series EN Type2-6m Cable 22kW | 10, 13, 16, 20, 25, 32 | 6 | | | | GR | 97.924 |
| c-series EN Type2-6m Cable 22kW-MID | 10, 13, 16, 20, 25, 32 | 6 | | ✓ MID | | GR | 105.143 |
| c-series EN Type2-6m Cable 22kW-RFID | 10, 13, 16, 20, 25, 32 | 6 | (((•))) | | | GR | 97.925 |
| c-series EN Type2-6m Cable 22kW-RFID-MID | 10, 13, 16, 20, 25, 32 | 6 | (((•))) | ✓ MID | | GR | 105.145 |
| c-series EN Type2-4m Cable 22kW-ME | 10, 13, 16, 20, 25, 32 | 4 | | | ✓ ME | GR | 108.694 |
| c-series EN Type2-4m Cable 22kW-RFID-ME | 10, 13, 16, 20, 25, 32 | 4 | (((•))) | | ✓ ME | GR | 108.695 |
| c-series EN Type2-6m Cable 22kW-ME | 10, 13, 16, 20, 25, 32 | 6 | | | ✓ ME | GR | 108.696 |
| c-series EN Type2-6m Cable 22kW-RFID-ME | 10, 13, 16, 20, 25, 32 | 6 | (((•))) | | ✓ ME | GR | 108.340 |

x-series
Socket



Socket Type 2



| Product description | Current [A] (adjustable) | Access | MID | ME | 4G | WIFI | Colour | Article No. |
|--|-----------------------------|--------|-----|----|----|------|--------|-------------|
| x-series EN Type2 Socket 22kW | 10, 13, 16, 20, 25, 32 | | | | | | GR | 98.101 |
| x-series EN Type2 Socket 22kW-MID | 10, 13, 16, 20, 25, 32 | | | | | | GR | 105.150 |
| x-series EN Type2 Socket 22kW-RFID | 10, 13, 16, 20, 25, 32 | | | | | | GR | 98.102 |
| x-series EN Type2 Socket 22kW-RFID-MID | 10, 13, 16, 20, 25, 32 | | | | | | GR | 102.636 |
| x-series EN Type2 Socket 22kW-RFID-MID-WH | 10, 13, 16, 20, 25, 32 | | | | | | WH | 110.264 |
| x-series EN Type2 Socket 22kW-WLAN/4G | 10, 13, 16, 20, 25, 32 | | | | | | GR | 109.651 |
| x-series EN Type2 Socket 22kW-WLAN/4G-RFID | 10, 13, 16, 20, 25, 32 | | | | | | GR | 109.652 |
| x-series EN Type2 Socket 22kW-WLAN/4G-RFID-MID | 10, 13, 16, 20, 25, 32 | | | | | | GR | 110.223 |
| x-series EN Type2 Socket 22kW-ME | 10, 13, 16, 20, 25, 32 | | | | | | GR | 108.690 |
| x-series EN Type2 Socket 22kW-RFID-ME | 10, 13, 16, 20, 25, 32 | | | | | | GR | 108.335 |
| x-series EN Type2 Socket 22kW-WLAN/4G-RFID-ME | 10, 13, 16, 20, 25, 32 | | | | | | GR | 110.537 |

Socket Type 2 Shutter



| Product description | Current [A] (adjustable) | Access | MID | ME | 4G | WIFI | Colour | Article No. |
|---|-----------------------------|--------|-----|----|------------------|------|--------|-------------|
| x-series EN Type2 Socket+Shutter 22kW | 10, 13, 16, 20, 25, 32 | | | | | | GR | 105.629 |
| x-series EN Type2 Socket+Shutter 22kW-WH | 10, 13, 16, 20, 25, 32 | | | | | | WH | 107.320 |
| x-series EN Type2 Socket+Shutter 22kW-BK | 10, 13, 16, 20, 25, 32 | | | | | | BK | 111.636 |
| x-series EN Type2 Socket+Shutter 22kW-RFID | 10, 13, 16, 20, 25, 32 | | | | | | GR | 104.327 |
| x-series EN Type2 Socket+Shutter 22kW-RFID-WH | 10, 13, 16, 20, 25, 32 | | | | | | WH | 107.319 |
| x-series EN Type2 Socket+Shutter 22kW-RFID-BK | 10, 13, 16, 20, 25, 32 | | | | | | BK | 111.637 |
| x-series EN Type2 Socket+Shutter 22kW-WLAN/4G-RFID-MID | 10, 13, 16, 20, 25, 32 | | | | 4G ¹⁾ | | GR | 110.618 |
| x-series EN Type2 Socket+Shutter 22kW-RFID-MID-WH | 10, 13, 16, 20, 25, 32 | | | | | | WH | 111.621 |
| x-series EN Type2 Socket+Shutter 22kW-WLAN/4G | 10, 13, 16, 20, 25, 32 | | | | 4G ¹⁾ | | GR | 112.784 |
| x-series EN Type2 Socket+Shutter 22kW-WLAN/4G-WH | 10, 13, 16, 20, 25, 32 | | | | 4G ¹⁾ | | WH | 112.785 |
| x-series EN Type2 Socket+Shutter 22kW-WLAN/4G-BK | 10, 13, 16, 20, 25, 32 | | | | 4G ¹⁾ | | BK | 111.638 |
| x-series EN Type2 Socket+Shutter 22kW-WLAN/4G-RFID | 10, 13, 16, 20, 25, 32 | | | | 4G ¹⁾ | | GR | 112.787 |
| x-series EN Type2 Socket+Shutter 22kW-WLAN/4G-RFID-WH | 10, 13, 16, 20, 25, 32 | | | | 4G ¹⁾ | | WH | 112.788 |
| x-series EN Type2 Socket+Shutter 22kW-WLAN/4G-RFID-BK | 10, 13, 16, 20, 25, 32 | | | | 4G ¹⁾ | | BK | 111.639 |
| x-series EN Type2 Socket+Shutter 22kW-WLAN/4G-RFID-MID-WH | 10, 13, 16, 20, 25, 32 | | | | 4G ¹⁾ | | WH | 111.630 |
| x-series EN Type2 Socket+Shutter 22kW-WLAN/4G-MID-WH | 10, 13, 16, 20, 25, 32 | | | | 4G ¹⁾ | | WH | 111.589 |
| x-series EN Type2 Socket+Shutter 22kW-MID-WH | 10, 13, 16, 20, 25, 32 | | | | | | WH | 111.620 |

x-series
Cable



Cable Type 1



| Product description | Current [A] (adjustable) | Cable [m] | Access | MID | ME | 4G | WIFI | Colour | Article No. |
|---------------------------------|--------------------------|-----------|--------|-----|----|----|------|--------|-------------|
| x-series EN Type1-4m 4,6kW | 10, 13, 16, 20 | 4 | | | | | | GR | 98.108 |
| x-series EN Type1-4m 4,6kW-RFID | 10, 13, 16, 20 | 4 | | | | | | GR | 98.109 |

Cable Type 2



| Product description | Current [A] (adjustable) | Cable [m] | Access | MID | ME | 4G | WIFI | Colour | Article No. |
|--|--------------------------|-----------|--------|-----|----|----|------|--------|-------------|
| x-series EN Type2-4m Cable 11kW | 10, 13, 16, 20, 25, 32 | 4 | | | | | | GR | 98.103 |
| x-series EN Type2-4m Cable 22kW | 10, 13, 16, 20, 25, 32 | 4 | | | | | | GR | 98.104 |
| x-series EN Type2-4m Cable 22kW-MID | 10, 13, 16, 20, 25, 32 | 4 | | | | | | GR | 105.153 |
| x-series EN Type2-4m Cable 22kW-RFID | 10, 13, 16, 20, 25, 32 | 4 | | | | | | GR | 98.105 |
| x-series EN Type2-4m Cable 22kW-RFID-MID | 10, 13, 16, 20, 25, 32 | 4 | | | | | | GR | 105.152 |



| Product description | Current [A] (adjustable) | Cable [m] | Access | MID | ME | 4G | WIFI | Colour | Article No. |
|--|-----------------------------|-----------|--------|-----|----|------------------|------|--------|-------------|
| x-series EN Type2-4m Cable 22kW-WLAN/4G-RFID | 10, 13, 16, 20, 25, 32 | 4 | | | | 4G ⁱⁱ | | GR | 109.659 |
| x-series EN Type2-4m Cable 22kW-WLAN/4G-RFID-MID | 10, 13, 16, 20, 25, 32 | 4 | | | | 4G ⁱⁱ | | GR | 109.671 |
| x-series EN Type2-6m Cable 22kW | 10, 13, 16, 20, 25, 32 | 6 | | | | | | GR | 98.106 |
| x-series EN Type2-6m Cable 22kW-RFID | 10, 13, 16, 20, 25, 32 | 6 | | | | | | GR | 98.107 |
| x-series EN Type2-6m Cable 22kW-RFID-MID | 10, 13, 16, 20, 25, 32 | 6 | | | | | | GR | 105.155 |
| x-series EN Type2-6m Cable 22kW-WLAN/4G-RFID | 10, 13, 16, 20, 25, 32 | 6 | | | | 4G ⁱⁱ | | GR | 109.660 |
| x-series EN Type2-6m Cable 22kW-WLAN/4G-RFID-MID | 10, 13, 16, 20, 25, 32 | 6 | | | | 4G ⁱⁱ | | GR | 109.672 |
| x-series EN Type2-4m Cable 22kW-ME | 10, 13, 16, 20, 25, 32 | 4 | | | | | | GR | 108.691 |
| x-series EN Type2-4m Cable 22kW-RFID-ME | 10, 13, 16, 20, 25, 32 | 4 | | | | | | GR | 108.692 |
| x-series EN Type2-4m Cable 22kW-WLAN/4G-RFID-ME | 10, 13, 16, 20, 25, 32 | 4 | | | | 4G ⁱⁱ | | GR | 110.538 |
| x-series EN Type2-6m Cable 22kW-ME | 10, 13, 16, 20, 25, 32 | 6 | | | | | | GR | 108.697 |
| x-series EN Type2-6m Cable 22kW-RFID-ME | 10, 13, 16, 20, 25, 32 | 6 | | | | | | GR | 108.339 |
| x-series EN Type2-6m Cable 22kW-WLAN/4G-RFID-ME | 10, 13, 16, 20, 25, 32 | 6 | | | | 4G ⁱⁱ | | GR | 110.539 |

Accessories



KC-P30 Pedestal, Single - stainless steel

- Pedestal for the mounting of a KEBA KeContact wall box
- For indoors and outdoors
- Mounting material included
- Material: stainless steel 1.4301
- Surface: ground K220

Article No. 89.735





KC-P30 Pedestal, Double - stainless steel


- Pedestal for the mounting of two KEBA KeContact wall boxes
- For indoors and outdoors
- Mounting material included
- Material: stainless steel 1.4301
- Surface: ground K220

Article No. 90.786

| | |
|--|---|
|  | <p>KC-P30 Pedestal, Triangle - stainless steel</p> <ul style="list-style-type: none">• Pedestal for the mounting of two KEBA KeContact wall boxes• For indoors and outdoors• Mounting material included• Material: stainless steel 1.4301• Surface: ground K220 <p>Article No. 99.839</p> |
|  | <p>Indoor base plate - stainless steel [800 x 800 mm]</p> <ul style="list-style-type: none">• Stainless steel base plate for the mounting of pedestals without the use of a foundation• For exhibition purposes• Material: stainless steel 1.4301• Surface: ground K220 <p>Article No. 86.350</p> |

| | |
|--|---|
|  A collection of various hardware components for the KeContact P30 installation kit, including black plastic connectors, nuts, washers, a large hex nut, a green plastic seal, a brass nut, several small metal washers, a bundle of green screws, and three silver metal pins. | <p>Installation kit (mounting material / seals) KeContact P30</p> <ul style="list-style-type: none">• Loose mounting parts for KeContact P30 b-, c- and x-series (supplied as standard)• Mounting material for wall mounting• Cable fittings including sealing and lead sealing <p>Article No. 89.986</p> |
|  A fan of ten green RFID cards, each featuring a white battery icon and several horizontal lines representing data fields. | <p>RFID cards - KEBA design - 10 pcs</p> <ul style="list-style-type: none">• Pack of 10 RFID cards <p>Article No. 96.089</p> |

Spare parts




**Design cover standard (front 7004/ side 7016)**

- Design cover KEBA grey
- Front side: RAL 7004 / Side frame: RAL 7016

Article No. 108.352**Design cover white (front 9010/ side 7016)**

- Design cover KEBA white
- Front side: RAL 9010 / Side frame: RAL 7016

Article No. 108.354

| | |
|---|---|
|  | <p>Design cover black (front 9005 / side 9005)</p> <ul style="list-style-type: none">• Design cover KEBA black• Front side: RAL 9005 / Side frame: RAL 9005 <p>Article No. 107.544</p> |
|  | <p>Holder for charging cable</p> <ul style="list-style-type: none">• Dimensions<ul style="list-style-type: none">○ H: 164 mm○ W: 102 mm○ D: 131 mm• Colour: RAL 7016 <p>Article No. 90.234</p> |
|  | <p>Retaining spring for connector parking bay Type2 neutral</p> <p>Article No. 106.430</p> |

| | |
|---|---|
|  | <p>Spare screws for design cover (10 pcs.) neutral</p> <p>Article No. 106.428</p> |
|  | <p>Sealing caps (50 pcs. terminal cover / 50 pcs. connection panel cover)</p> <ul style="list-style-type: none">• For sealing purposes <p>Article No. 109.056</p> |

Dummies

**KeContact wallbox mockup Type2 Socket**

- Socket is not functional
- Symbolic photo under the socket cover

Article No. 98.326**KeContact wallbox mockup Type2 Socket-BK**

- Socket is not functional
- Symbolic photo under the socket cover

Article No. 111.641

**KeContact wallbox mockup Type2 Socket-WH**

- Socket is not functional
- Symbolic photo under the socket cover

Article No. 111.642**KeContact wallbox mockup Type2 Cable grey**

- Plug can be plugged into the electric car for demonstration purposes

Article No. 107.661



Acrylic glass pedestal for wallbox mockup

- Acrylic pedestal for exhibition purposes

Article No. 110.880